

# **Recombinant SARS-CoV-2 Spike RBD Protein**

Catalog No.: RP01278 Recombinant 1 Publications

# **Sequence Information**

Species Gene ID Swiss Prot

SARS-CoV-2 43740568

**Tags** 

C-His

#### **Synonyms**

Envelope;SARS-CoV-2 Spike RBD (N501Y);Spike;Spike ECD;Spike RBD;Spike S1;Spike S2;Spike S2 ECD;S1-RBD protein;NCP-CoV RBD Protein;novel coronavirus RBD Protein;2019-nCoV RBD Protein;S glycoprotein Subunit1 RBD Protein

## **Product Information**

Source Purification

HEK293 cells > 95% by SDS-PAGE;> 95% by

HDI C

HPL

Calculated MW Observed MW

25.94 kDa 36 kDa

#### **Endotoxin**

 $< 0.1 \; \text{EU/}\mu\text{g}$  of the protein by LAL method.

## **Formulation**

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4 or Supplied as a 0.22 µm filtered solution in PBS, pH 7.4.Contact us for customized product form or formulation.

### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

### **Contact**

## **Background**

## **Basic Information**

#### **Description**

Recombinant SARS-CoV-2(2019-nCoV) Spike RBD Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Arg319-Phe541) of SARS-COV-2(2019-nCoV) Spike RBD (Accession  $\#YP_009724390.1$ ) fused with a  $6\times His$  tag at the C-terminus.

## **Bio-Activity**

Measured by its binding ability in a functional ELISA. Immobilized SARS-CoV-2 Spike RBD at 2  $\mu$ g/mL (100  $\mu$ L/well) can bind recombinant Human ACE2 with a linear range of 0.15-3.63 ng/mL.

#### Storage


Store at  $-20^{\circ}$ C. Store the lyophilized protein at  $-20^{\circ}$ C to  $-80^{\circ}$ C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.


Avoid repeated freeze/thaw cycles.

6	400-999-6126
×	cn.market@abclonal.com.cn
•	www.abclonal.com.cn


# **Validation Data**



Recombinant SARS-CoV-2 Spike RBD Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 36 kDa.



The purity of SARS-COV-2 Spike RBD Protein with His tag (Cat. RP01278) was greater than 95% as determined by SEC-HPLC.



Immobilized SARS-CoV-2 Spike RBD at 2 $\mu$ g/mL (100  $\mu$ L/well) can bind recombinant Human ACE2 with a linear range of 0.15-3.63 ng/mL.