

Recombinant Human TNFRSF4/OX40/CD134 Protein

Catalog No.: RP01357 **Recombinant**

Sequence Information

Species	Gene ID	Swiss Prot
Human	7293	P43489

Tags

C-His

Synonyms

TNFRSF4;ACT35;CD134;IMD16;OX40;TXG P1L

Product Information

Source	Purification
HEK293 cells	> 90% by SDS-PAGE.

Endotoxin

Please contact us for more information.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize freeze-thaw cycles.

Contact

 | 400-999-6126 | cn.market@abclonal.com.cn | www.abclonal.com.cn

Background

OX40 (CD134) and its binding partner, OX40L (CD252), are members of the tumor necrosis factor receptor/tumor necrosis factor superfamily, is known to break an existing state of tolerance in malignancies, leading to a reactivation of antitumor immunity. The interaction between OX40 and OX40L plays an important role in antigen-specific T-cell expansion and survival. OX40 and OX40L also regulate cytokine production from T cells, antigen-presenting cells, natural killer cells, and natural killer T cells, and modulate cytokine receptor signaling. In line with these important modulatory functions, OX40-OX40L interactions have been found to play a central role in the development of multiple inflammatory and autoimmune diseases, making them attractive candidates for intervention in the clinic. Conversely, stimulating OX40 has shown it to be a candidate for therapeutic immunization strategies for cancer and infectious disease.

Basic Information

Description

Recombinant Human TNFRSF4/OX40/CD134 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Leu29-Ala216) of human OX40/TNFRSF4/CD134 (Accession #NP_003318.1) fused with a 6xHis tag at the C-terminus.

Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Human OX40 at 2 µg/mL (100 µL/well) can bind Human OX40 Ligand/TNFSF4 Protein with a linear range of 156.25-872.87 ng/mL.


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Human TNFRSF4/OX40/CD134 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 40-45kDa.



Immobilized Human OX40 at 2 µg/mL (100 µL/well) can bind Human OX40 Ligand/TNFSF4 Protein with a linear range of 156.25-872.87 ng/mL.