

Recombinant Human FR-alpha/FOLR1 Protein

Catalog No.: RP01379 Recombinant

Sequence Information

Species Gene ID Swiss Prot Human 2348 P15328

Tags

C-His

Synonyms FOLR1;FBP;FOLR

Product Information

Source Purification HEK293 cells ≥ 95 % as

≥ 95 % as determined by SDS-PAGE;≥ 95 % as determined by HPLC.

Calculated MW Observed MW

25.40 kDa 35-40 kDa

Endotoxin

< 1 EU/µg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>a</u>		400-999-6126
\bowtie		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

Background

Folate Receptor 1 (FOLR1) is also known as Folate receptor alpha, Folate Binding Protein (FBP), FOLR, and is a member of the folate receptor (FOLR) family. Members of this gene family have a high affinity for folic acid and for several reduced folic acid derivatives, and mediate delivery of 5-methyltetrahydrofolate to the interior of cells.It is the most important subunit of Folate receptor and the alpha isoform has been shown to be selectively overexpressed in cancer types like breast and ovarian cancer compared to normal breast and ovarian epithelial cells. It was determined that Folate receptor α exhibits a limited expression on the apical surfaces of the epithelial cells of normal lung, breast, thyroid, parathyroid, and kidney tissues. For their uptake of folate, normal cells rely almost exclusively on the reduced folate carrier, whereas many carcinomas and myeloid leukemia cells overexpress a high-affinity FR on their surfaces, perhaps reflecting their increased need for folate to support rapid cell division.

Basic Information

Description

Recombinant Human FR-alpha/FOLR1 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Arg25-Met233) of human FOLR-1/FBP (Accession #NP_000793.1) fused with a $6\times$ His tag at the C-terminus.

Bio-Activity

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.

Validation Data



Recombinant Human FR-alpha/FOLR1 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



The purity of Recombinant Human FR-alpha/FOLR1 Protein is greater than 95% as determined by SEC-HPLC.