

Recombinant Mouse MFG-E8 Protein

Catalog No.: RP01490 **Recombinant**

Sequence Information

Species	Gene ID	Swiss Prot
Mouse	17304	P21956-1

Tags

C-His

Synonyms

P47;MP47;Mfgm;SED1;MFG-E8;AA408458;AI325141;lactadherin;MFG E8

Product Information

Source	Purification
HEK293 cells	> 95% by SDS-PAGE.

Endotoxin

<0.1EU/ μ g

Formulation

Lyophilized from a 0.22 μ m filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize freeze-thaw cycles.

Contact

 | 400-999-6126 | cn.market@abclonal.com.cn | www.abclonal.com.cn

Background

MFG-E8, also known as lactadherin and MFGE8, contains 1 EGF-like domain and 2 F5/8 type C domains. It also contains phosphatidylserine (PS) binding domain, as well as an Arginine-Glycine-Aspartic acid motif, which enables the binding to integrins. It binds PS, which is exposed on the surface of apoptotic cells. MFG-E8 is expressed in mammary epithelial cell surfaces and aortic media. Overexpression of MFG-E8 can be found in several carcinomas. MFG-E8 has opsonization of the apoptotic cells and binding to integrins on the surface of phagocytic cells. It also mediates the engulfment of the dead cell. MFG-E8 plays an important role in the maintenance of intestinal epithelial homeostasis and the promotion of mucosal healing. It promotes VEGF-dependent neovascularization and contributes to the phagocytic removal of apoptotic cells in many tissues. It also binds to phosphatidylserine-enriched cell surfaces in a receptor-independent manner.

Basic Information

Description

Recombinant Mouse MFG-E8 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Ala23-Cys463) of mouse MFGE8/BA46 (Accession #NM_008594.2) fused with a 6 \times His tag at the C-terminus.

Bio-Activity


Storage

Store at -20 $^{\circ}$ C. Store the lyophilized protein at -20 $^{\circ}$ C to -80 $^{\circ}$ C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20 $^{\circ}$ C for 3 months, at 2-8 $^{\circ}$ C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Mouse MFG-E8 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 60-65kDa.