# **Recombinant Human CDH3/P-cadherin Protein**

Catalog No.: RP01491 Recombinant

# **Sequence Information**

Species Gene ID Human 1001

Swiss Prot

P22223

**Tags** C-His

Synonyms CDH3;CDHP;HJMD;PCAD

# **Product Information**

SourcePurificationHEK293 cells> 85% by SDS-<br/>PAGE.

Calculated MWObserved MW60.86 kDa70-80 kDa

**Endotoxin** <1EU/µg

Formulation

Lyophilized from a 0.22  $\mu$ m filtered solution of PBS, pH 7.4.

## Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

# Contact

6	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
€	www.abclonal.com.cn

## Background

Cadherin-3 []also known as P-cadherin[]is a classical cell-to-cell adhesion molecule with a homeostatic function in several normal tissues. They preferentially interact with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types. In humans, cadherin-3 is only detected in a few organs. However, its overexpression is strongly associated with a poor prognosis in some solid tumors including breast, lung and pancreatic cancers.

# **Basic Information**

## Description

Recombinant Human CDH3/P-cadherin Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Asp108-Gly654) of human CDH3/Cadherin-3 (Accession #NP\_001784.2) fused with a 6×His tag at the C-terminus.

## **Bio-Activity**

Measured by the ability of the immobilized protein to support the adhesion of A431 human epithelial carcinoma cells. When 1×105 cells/well are added to rhP-CAD/Fc Chimera coated plates (10 µg/mL with 100 µL/well), approximately 50-60% will adhere after 1.5 hours at 37° C.

## Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.





Recombinant Human CDH3/P-cadherin Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 80kDa.