

Recombinant Human CCL13/MCP-4 Protein

Catalog No.: RP01614 Recombinant

Sequence Information

Species Gene ID Swiss Prot Human 6357 099616

Tags

No tag

Synonyms

CCL13;CKb10;MCP-4;NCC-1;NCC1;SCYA1 3;SCYL1

Product Information

Source Purification
Pichia > 95% by SDSPAGE.

Endotoxin

<0.1EU/µg

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

Background

Monocyte Chemoattractant Proteins 4 (MCP-4/CCL13) is a member of a distinct, structurally-related subclass of CC chemokines mainly involved in recruitment of eosinphils to inflammatory sites. CCL13/MCP-4, is a CC family chemokine that is chemoattractant for eosinophils, basophils, monocytes, macrophages, immature dendritic cells, and T cells, and its capable of inducing crucial immuno-modulatory responses through its effects on epithelial, muscular and endothelial cells. Similar to other CC chemokines, CCL13 binds to several chemokine receptors (CCR1, CCR2 and CCR3), allowing it to elicit different effects on its target cells. A number of studies have shown that CCL13 is involved in many chronic inflammatory diseases, in which it functions as a pivotal molecule involved in the selective recruitment of cell lineages to the inflamed tissues and their subsequent activation. MCP-4/CCL13 is secreted from chondrocytes and activates the proliferation of rheumatoid synovial cells, thereby leading to joint destruction in RA.

Basic Information

Description

Recombinant Human CCL13/MCP-4 Protein is produced by *Pichia* expression system. The target protein is expressed with sequence (Gln24-Thr98) of human CCL13/MCP-4 (Accession #NP 005399.1) fused with no additional amino acid.


Bio-Activity

Storage

Store the lyophilized protein at -20°C to -80°C for 12 months. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Human CCL13/MCP-4 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 8.6kDa.