




Validation Data




Recombinant Human Wnt-3a Surrogate Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.




Recombinant Human Wnt-3a Surrogate Protein is greater than 95% as determined by SEC-HPLC.




Measured by its ability to induce Topflash reporter activity in HEK293T human embryonic kidney cells. The ED50 for this effect is 7.38-29.54 ng/mL, corresponding to a specific activity of $3.39 \times 10^4 \sim 1.35 \times 10^5$ units/mg.




Human stomach organoids organoids were cultured with EGF(Cat. RP03287), FGF10(Cat. RP01140), NOG(Cat. RP01237), RSPO1(Cat. RP00071), WNT-3a(Cat. RP01618SLQ).




Mouse large intestinal organoids were cultured with EGF(Cat. RP03287), NOG(Cat. RP01237), RSPO1(Cat. RP00071), WNT-3a(Cat. RP01618SLQ)




Human liver organoids were cultured with EGF(Cat. RP03287), HGF(Cat. RP01602), FGF2(Cat. RP01042), FGF10(Cat. RP01140), NOG(Cat. RP01237), RSPO1(Cat. RP00071), WNT-3a(Cat. RP01618SLQ).



Human kidney organoids were cultured with EGF(Cat. RP03287), FGF2(Cat. RP01042), FGF7(Cat. RP01717), FGF9(Cat. RP01710), FGF10(Cat. RP01140), IGF(Cat. RP00996), NOG(Cat. RP01237), RSPO1(Cat. RP00071), WNT-3a(Cat. RP01618SLQ). And further, DKK-1(RP01343) was used to induce the establishment of cell polarity.



Human gastric cancer organoid were cultured with EGF(Cat. RP03287), NOG(Cat. RP01237), FGF10(Cat. RP01140), RSPO1(Cat. RP00071), Wnt-3a Surrogate(Cat. RP01618SLQ), A83-01(Cat. RPM0008), Y-27632 dihydrochloride(Cat.RPM0007), Gastrin I(Cat. RPM0011), AB-27 Supplement(Cat. RPM0047LQ), N-2 Supplement(Cat. RPM0046LQ).



Mouse lung organoids were cultured in Matrigel (Cat. RPM0003) with medium supplemented with EGF (Cat. RP03287), Noggin (Cat. RP01237), RSPO1 (Cat. RP00071), Wnt-3a (Cat. RP01618SLQ), and FGF-10 (Cat. RP01140). After 8 days of culture, the expression of lineage markers, including E-Cadherin (Cat. A20798), AQP5 (Cat. A23292), and CD49F (Cat. A26707), was assessed by ultra-plex immunofluorescence staining.