Recombinant Mouse CCL2/MCP-1 Protein

Catalog No.: RP01622 Recombinant

Sequence Information

Species	Gene ID	Swiss Prot
Mouse	20296	P10148

e 2

Tags C-hFC

Synonyms

C-C motif chemokine ligand 2; CCL2; GDCF-2; HC11; HSMCR30; MCAF; Mcp1; MCP-1; SCYA2; SMC-CF;CCL2

Product Information

Source HEK293 cells Purification > 95% by SDS-

PAGE.

Endotoxin

<0.1EU/µg

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

6	400-999-6126
\bowtie	cn.market@abclonal.com.cn
€	www.abclonal.com.cn

Background

Monocyte chemoattractant protein 1 (MCP-1), also called CCL2, belongs to a group of CC chemokines located in chromosome 17q11.2. MCP-1 protein interacts with chemokine C-C motif receptor 2 (CCR2) to activate and recruit monocytes, macrophages, CD4+ T cells and immature dendritic cells to the site of infection. The presence of MCP-1 protein in an adequate concentration is important for granuloma formation and M. tuberculosis clearance.

Basic Information

Description


Recombinant Mouse CCL2/MCP-1 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Gln 24-Asn148) of mouse CCL2/MCP-1 (Accession $\#NP_{035463.1}$) fused with a hFc tag at the C-terminus.

Bio-Activity

Storage

Store the lyophilized protein at -20°C to -80°C for 12 months. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.





Recombinant Mouse CCL2/MCP-1 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 60 kDa.