

Catalog No.: RP01659 **Recombinant**

Species	Gene ID	Swiss Prot
Human/Mous	2253(B)	P55075-3

C-6His

HH6; AIGF; KAL6; FGF-8; HBGF-8;FGF8B

Source	Purification
HEK293 cells	≥ 95 % as determined by SDS-PAGE

Calculated MW	Observed MW
23.23 kDa	35-45kDa

< 0.1 EU/μg of the protein by LAL method.

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

 | 400-999-6126

 | cn.market@abclonal.com.cn

 | www.abclonal.com.cn

In mammalian embryos, transient *Fgf8* expression defines the developing isthmic region, lying between the midbrain and the first rhombomere, but there has been uncertainty about the existence of a distinct isthmic segment in postnatal mammals. Retinoic acid (RA) directly represses *Fgf8* through a RARE-mediated mechanism that promotes repressive chromatin, thus providing valuable insight into the mechanism of RA-FGF antagonism during progenitor cell differentiation. *Fgf8* encodes a key signaling factor, and its precise regulation is essential for embryo patterning.


Recombinant Human/Mouse FGF-8B Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Gln23-Arg215) of human FGF-8B (Accession #NP_006110.1) fused with and a 6xHis tag at the C-terminus.

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Human/Mouse FGF-8B Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.