

Recombinant Human Angiopoietin-1/ANG-1/ANGPT1 Protein

Catalog No.: RP01828 Recombinant

Sequence Information

SpeciesGene IDSwiss ProtHuman284Q15389-1

Tags C-His

Synonyms

AGP1; AGPT; ANG1; HAE5; AGPT-1

Angiopoietin-1

ANG-1

ANGPT1

Product Information

Source Purification HEK293 cells > 92% by SDS-PAGE.

Endotoxin

 $< 0.1 EU/\mu g$

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifµge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

6		400-999-6126
\bowtie		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

Background

The angiopoietin (ANGPT)-TIE2/TEK signaling pathway is essential for blood and lymphatic vascular homeostasis. ANGPT1 is a potent TIE2 activator, whereas ANGPT2 functions as a context-dependent agonist/antagonist. In disease, ANGPT2-mediated inhibition of TIE2 in blood vessels is linked to vascular leak, inflammation, and metastasis.

Basic Information

Description

Recombinant Human Angiopoietin-1/ANG-1/ANGPT1 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Arg277-Phe498) of human Angiopoietin-1/ANG-1/ANGPT1 (Accession $\#NP_001137.2$) fused with a $6\times His$ tag at the


Bio-Activity

Storage

Store the lyophilized protein at -20°C to -80°C for 12 months. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Human Angiopoietin-1/ANG-1/ANGPT1 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 25-45 kDa.