# **Recombinant Human EREG Protein**

ABclonal www.abclonal.com

Catalog No.: RP01895 Recombinant

## **Sequence Information**

Species Gene ID Swiss Prot Human 2069 014944

Tags

N-hFc

**Synonyms** 

EREG;Proepiregulin; Cleaved into: Epiregulin; EPR

### **Product Information**

Source

**Purification** 

HEK293 cells

Calculated MW Observed MW

31.23 kDa 35-40 kDa

### **Endotoxin**

 ${<}0.01\text{EU/}\mu\text{g}$  of the protein by LAL method.

#### **Formulation**

Lyophilized from a 0.22  $\mu$ m filtered solution of PBS, pH 7.4.

### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

#### Contact

6		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	Τ	www.abclonal.com.cn

### **Background**

Epiregulin (EREG) is a member of the epidermal growth factor family. Epiregulin (EREG) can function as a ligand of EGFR (epidermal growth factor receptor), as well as a ligand of most members of the ERBB (v-erb-b2 oncogene homolog) family of tyrosine-kinase receptors. Epiregulin (EREG) exhibit bifunctional regulatory properties: it inhibit the growth of several epithelial tumor cells and stimulated the growth of fibroblasts and various other types of cells. Epiregulin (EREG) bound to the EGF receptors of epidermoid carcinoma A431 cells much more weakly than did EGF, but was nevertheless much more potent than EGF as a mitogen for rat primary hepatocytes and Balb/c 3T3 A31 fibroblasts. These findings suggest that epiregulin (EREG) plays important roles in regulating the growth of epithelial cells and fibroblasts by binding to receptors for EGF-related ligands. Epiregulin (EREG) is the broadest specificity EGF-like ligand so far characterized: not only does it stimulate homodimers of both ErbB-1 and ErbB-4, it also activates all possible heterodimeric ErbB complexes.

### **Basic Information**

#### **Description**

Recombinant Human EREG Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Val63-Leu108) of Human EREG (Accession #NP 001423.1) fused with a hFc tag at the N-terminus.

#### **Bio-Activity**


#### Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

# **Validation Data**



Recombinant Human EREG Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 35-40kDa.