# **Biotinylated Recombinant Human** TNFRSF10B/DR5/TRAIL-R2/CD262 Protein

Catalog No.: RP02085B Recombinant

### Sequence Information

### Background

Gene ID Swiss Prot Species Human 8795

014763

# Tags

C-His&Avi

#### Synonyms

CD262;DR5;KILLER;KILLER/DR5;TRAIL-R2;TRAILR2;TRICK2;TRICK2A;TRICK2B;TR ICKB;ZTNFR9;TNFRSF10B

# **Product Information**

Source	Purification
HEK293 cells	≥ 95 % as
	determined by Tris-
	Bis PAGE;≥ 95 % as
	determined by
	HPLC.

#### Calculated MW Observed MW 17.2 kDa 20-25 kDa

#### Endotoxin

 $< 1 EU/\mu g$  of the protein by LAL method.

#### Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4. Normally 8% trehalose is added as protectant before lyophilization. Contact us for customized product form or formulation.

#### Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

#### Contact

400-999-6126

ABclomal www.abclonal.com

DR5, also called TRAIL R2, TRICK 2, TNFRSF10B, and MK is a type 1 TNF R superfamily, membrane protein which is a receptor for TRAIL (APO2 ligand). DR5 is a receptor for the cytotoxic ligand TNFSF10/TRAIL. The resulting death-inducing signaling complex (DISC) performs caspase-8 proteolytic activation which initiates the subsequent cascade of caspases (aspartate-specific cysteine proteases) mediating apoptosis.

# **Basic Information**

#### Description

Biotinylated Recombinant Human TNFRSF10B/DR5/TRAIL-R2/CD262 Protein is produced by Expi293 expression system. The target protein is expressed with sequence (Ile56-Glu182) of Human TNFRSF10B/DR5/TRAIL-R2/CD262 fused with His tag and Avi tag at the C-terminus.

### **Bio-Activity**

#### Storage


Store at -20°C. Store the lyophilized protein at -20°C to -80°C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.


Avoid repeated freeze/thaw cycles.

6


$\sim$	cn.market@abclonal.com.cn
Ð	www.abclonal.com.cn



Biotinylated Recombinant Human TNFRSF10B/DR5/TRAIL-R2/CD262 Protein was determined by Tris-Bis PAGE under reducing conditions.



The purity of Biotinylated Human TRAIL R2 is greater than 95% as determined by SEC-HPLC.



Immobilized Anti-TRAIL R2 Antibody, hFc Tag at 5 $\mu$ g/ml (100 $\mu$ l/well) on the plate. Dose response curve for Biotinylated Human TRAIL R2, His Tag with the EC<sub>50</sub> of 0.1 $\mu$ g/ml determined by ELISA.