

Biotinylated Recombinant Human Angiopoietin-2/ANGPT2 Protein

Catalog No.: RP02274B Recombinant

Sequence Information

SpeciesGene IDSwiss ProtHuman285015123

Tags N-His&Avi

Synonyms

AGPT2; ANG2; ANGPT2; ANG2

Product Information

Source Purification HEK293 cells > 95% by Tris-Bis

Endotoxin

< 1 EU/ μg of the protein by LAL method.

PAGE and HPLC

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4. Normally 8% trehalose is added as protectant before lyophilization. Contact us for customized product form or formulation.

Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

8	400-999-6	126
\bowtie	cn.market@abclonal.con	n.cn
•	www.abclonal.con	n.cn

Background

Angiopoietin-2 (Ang-2; also ANGPT2) is a secreted glycoprotein that plays a complex role in angiogenesis and inflammation. Mature Ang-2 is 478 amino acids in length. Ang2 is widely expressed during development, but it is restricted postnatally to highly angiogenic tissues such as the placenta, ovaries, and uterus. It is particularly abundant in vascular endothelial cells (EC) where it is stored in intracellular Weibel Palade bodies.

Basic Information

Description

Biotinylated Recombinant Human Angiopoietin-2/ANGPT2 Protein is produced by Expi293 expression system. The target protein is expressed with sequence (Lys275-Phe496) of Human Angiopoietin-2/ANGPT2 fused with a His and Avi tag at the N-terminal.

Bio-Activity


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80°C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20 $^{\circ}$ C for 3 months, at 2-8 $^{\circ}$ C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Biotinylated Human ANGPT2 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



Immobilized Biotinylated Human ANGPT2, His Tag at $5\mu g/ml$ ($100\mu l/Well$) on the Streptavidin Procated plate. Dose response curve for Anti-ANGPT2 Antibody, hFc Tag with the EC₅₀ of 6.7ng/ml determined by ELISA.