

Biotinylated Recombinant Human Low-density lipoprotein receptor/LDLR Protein

Catalog No.: RP02430 Recombinant

Sequence Information

Species Gene ID Swiss Prot Human 3949 P01130

Tags

C-His&Avi

Synonyms

LDLR; FH; FHC; LDLCQ2; low-density lipoprotein receptor; FH; FHC; LDLCQ2

Product Information

Source HEK293 cells Purification > 95% by Tris-Bis

PAGE;> 95% by SEC-HPLC

Endotoxin

< 1 EU/µg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

Background

Basic Information

Description

Biotinylated Recombinant Human LDLR Protein is produced by Expi293 expression system. The target protein is expressed with sequence (Ala22-Arg788) of Human LDLR fused with a His tag and Avi tag at the C-terminal.


Bio-Activity

Storage


Store the lyophilized protein at -20°C to -80°C for long term. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Biotinylated Human LDLR on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



The purity of Biotinylated Human LDLR is greater than 95% as determined by SEC-HPLC.