

Recombinant Human Leukemia inhibitory factor receptor/LIF-R/CD118 Protein

Catalog No.: RP02434 Recombinant

Sequence Information

Species Gene ID Swiss Prot Human 3977 P42702-1

Tags

C-hFc

Synonyms

LIFR;CD118;LIF-R;SJS2;STWS;SWS

Product Information

Source HEK293 cells Purification

> 95% by Tris-Bis PAGE;> 95% by SEC-HPLC

SEC

Endotoxin

< 1 EU/µg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

Background

Basic Information

Description

Recombinant Human LIF R Protein is produced by Expi293 expression system. The target protein is expressed with sequence (Gln45-Ser833) of Human LIF R fused with hFc tag at the C-terminal.

Bio-Activity


Storage

Store the lyophilized protein at -20 $^{\circ}\text{C}$ to -80 $^{\circ}\text{C}$ for long term.


After reconstitution, the protein solution is stable at -20 $^{\circ}$ C for 3 months, at 2-8 $^{\circ}$ C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Human LIF R on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



The purity of Human LIF R is greater than 95% as determined by SEC-HPLC.