

# Biotinylated Recombinant Human PDGFRalpha/CD140a Protein

Catalog No.: RP02476B Recombinant

## **Sequence Information**

SpeciesGene IDSwiss ProtHuman5156P16234

**Tags** C-His&Avi

**Synonyms** 

PDGFRA;CD140A;PDGFR-2;PDGFR2;GAS9;RHEPDGFRA

## **Product Information**

**Source** Purification HEK293 cells ≥ 95 % as

determined by Tris-Bis PAGE;≥ 95 % as determined by

HPLC.

Calculated MW Observed MW

59.2 kDa 70-83 kDa

**Endotoxin** 

< 1 EU/ $\mu g$  of the protein by LAL method.

#### **Formulation**

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4. Normally 8% trehalose is added as protectant before lyophilization. Contact us for customized product form or formulation.

### Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

#### **Contact**

**a** 400-999-6126

## **Background**

Platelet-derived growth factor is commonly known as a mitogen. Many research data suggest a role for PDGF-beta R in the mitogenic response of mesangial cells. There are four members of PDGF family known as PDGF-A chain, PDGF-B chain, PDGF-C chain and PDGF-D chain, which in active forms are dimers. As far as two receptors PDGF-alpha R and PDGF-beta R are known to bind PDGF.

## **Basic Information**

#### **Description**

Biotinylated Recombinant Human PDGF R alpha / PDGFRA Protein is produced by Expi293 expression system. The target protein is expressed with sequence (Met1-Glu524) of Human PDGF R alpha / PDGFRA fused with His tag and Avi tag at the C-terminal.

## **Bio-Activity**


#### Storage


Store at -20°C. Store the lyophilized protein at -20°C to -80°C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20  $^{\circ}$ C for 3 months, at 2-8  $^{\circ}$ C for up to 1 week.

Avoid repeated freeze/thaw cycles.

# **Validation Data**







The purity of Biotinylated Human PDGF R alpha/PDGFRA is greater than 95% as determined by SEC-HPLC.