

Biotinylated Recombinant Human Dkk-3 Protein

Catalog No.: RP02554B **Recombinant**

Sequence Information

Species	Gene ID	Swiss Prot
Human	27122	Q9UBP4

Tags

C-His&Avi

Synonyms

Dickkopf-3; Dkk3; REIC; REICdkk-3; RIG; RIG-like 5-6; RIG-like 7-1; AW061014; C87148

Product Information

Source	Purification
HEK293 cells	> 95% by Tris-Bis PAGE;> 95% by SEC-HPLC

Endotoxin

< 1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

 | 400-999-6126

 | cn.market@abclonal.com.cn

 | www.abclonal.com.cn

Background

Dkk-3, also known as REIC (Reduced Expansion in Immortalized Cells), is one of four numbered members of the Dickkopf family of Wnt antagonists. DKKs play an important role in vertebrate development, where they locally inhibit Wnt regulated processes such as antero-posterior axial patterning, limb development, somitogenesis and eye formation. In the adult, Dkks are implicated in bone formation and bone disease, cancer and Alzheimer disease.

Basic Information

Description

Biotinylated Recombinant Human Dkk-3 Protein is produced by Expi293 expression system. The target protein is expressed with sequence (Pro23-Ile350) of Human Dkk-3 fused with a His and Avi tag at the C-terminal.

Bio-Activity


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80°C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Biotinylated Human DKK3 on Tris-Bis PAGE under reduced conditions. The purity is greater than 95%.



The purity of Biotinylated Human DKK3 is greater than 95% as determined by SEC-HPLC.