

# Recombinant Cynomolgus CRTAM/CD355 Protein

Catalog No.: RP02611 **Recombinant**

## Sequence Information

Species	Gene ID	Swiss Prot
Cynomolgus	102125896	XP_00558002 1.1

### Tags

C-hFc

### Synonyms

CD355 antigen; CD355; CRTAM

## Product Information

Source	Purification
HEK293 cells	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC

**Calculated MW**   **Observed MW**

### Endotoxin

Less than 1EU per µg by the LAL method.

### Formulation

#### Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

## Contact

☎ | 400-999-6126

✉ | [cn.market@abclonal.com.cn](mailto:cn.market@abclonal.com.cn)

🌐 | [www.abclonal.com.cn](http://www.abclonal.com.cn)

## Background

Class-I Restricted T Cell-Associated Molecule (CRTAM) is a protein that is expressed after T cell activation. The interaction of CRTAM with its ligand, nectin-like 2 (Nectin2), is required for the efficient production of IL-17, IL-22, and IFN $\gamma$  by murine CD4 T cells, and it plays a role in optimal CD8 T and NK cell cytotoxicity. CRTAM promotes the pro-inflammatory cytokine profile; therefore, it may take part in the immunopathology of autoimmune diseases such as diabetes type 1 or colitis.

## Basic Information

### Description


Recombinant Cynomolgus CRTAM/CD355 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Ser18-Gly287) of Cynomolgus CRTAM/CD355 (Accession #) fused with hFc tag at the C-terminal.

### Bio-Activity


#### Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.


## Validation Data



Cynomolgus CRTAM on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



The purity of Cynomolgus CRTAM is greater than 95% as determined by SEC-HPLC.



Immobilized Cynomolgus CRTAM, hFc Tag at 1µg/ml (100µl/well) on the plate. Dose response curve for Biotinylated Anti-CRTAM Antibody, hFc Tag with the EC<sub>50</sub> of 20.7ng/ml determined by ELISA.