

# **Recombinant Cynomolgus CTLA-4/CD152 Protein**

Catalog No.: RP02636 Recombinant

# **Sequence Information**

**Species Gene ID Swiss Prot** Cynomolgus 102115124 G7PL88-1

## Tags

C-His

## **Synonyms**

CTLA4; CD152; ICOS; CELIAC3; GRD4; GSE; ALPS5; IDDM12

# **Product Information**

**Source** Purification HEK293 cells > 95% as

determined by Tris-Bis PAGE[]> 95% as determined by HPLC

## Calculated MW Observed MW

14.4 kDa 25-30 kDa

#### **Endotoxin**

Less than 1EU per  $\mu g$  by the LAL method.

#### **Formulation**

## Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

#### Contact

6		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
<u> </u>	ī	www.abclonal.com.cn

# **Background**

CTLA-4 (cytotoxic T-lymphocyte-associated protein 4), also known as CD152, is a protein receptor that, functioning as an immune checkpoint, downregulates immune responses.CTLA4 is constitutively expressed in regulatory T cells but only upregulated in conventional T cells after activation – a phenomenon which is particularly notable in cancers. It acts as an "off" switch when bound to CD80 or CD86 on the surface of antigen-presenting cells.

## **Basic Information**

## **Description**

Recombinant Cynomolgus CTLA-4/CD152 Protein is expressed from Expi293 with His tag at the C-terminal. [It contains Ala37-Ser160.

## **Bio-Activity**


## **Storage**

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


# **Validation Data**




Cynomolgus CTLA-4 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



The purity of Cynomolgus CTLA-4 is greater than 95% as determined by SEC-HPLC.



Immobilized Cynomolgus CTLA-4, His Tag at 1 $\mu$ g/ml (100 $\mu$ l/well) on the plate. Dose response curve for Anti-CTLA-4 Antibody, hFc Tag with the EC $_{50}$  of 11.2 $\mu$ g/ml determined by ELISA.



Cynomolgus B7-1, His Tag immobilized on CM5 Chip can bind Cynomolgus CTLA-4, His Tag with an affinity constant of 9.90 nM as determined in SPR assay (Biacore T200).