

Recombinant Human LMP2 (HLA-A*02:01) Complex Tetramer Protein

Catalog No.: RP02687 Recombinant

Sequence Information

Species (

es Gene ID

Swiss Prot A0A140T913(HLA-A*02:01)&P6 1769(B2M)&

CLGGLLTMV

Tags C-His&Avi

Synonyms

MHC; RMF; LMP2; LMP-2; Macropain chain 7; Proteasome chain 7; PSMB9; RING12

Product Information

Source

Purification

HEK293 cells >

> 95% as determined by Tris-Bis PAGE[]> 95% as determined by HPLC

Endotoxin

Less than 1EU per μg by the LAL method.

Formulation

Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

Background

The immunoproteasome, having been linked to neurodegenerative diseases and hematological cancers, has been shown to play an important role in MHC class I antigen presentation. The development of molecular probes that selectively inhibit the major catalytic subunit, LMP2, of the immunoproteasome,LMP2-rich cancer cells compared to LMP2-deficient cancer cells are more sensitive to growth inhibition by the LMP2-specific inhibitor, implicating an important role of LMP2 in regulating cell growth of malignant tumors that highly express LMP2.

Basic Information

Description

Recombinant Human LMP2 (HLA-A*02:01) Complex Tetramer Protein is expressed from Expi293 with His tag and Avi tag at the C-terminal,tetramer is assembled by biotinylated monomer and streptavidin. []It contains Gly25-Thr305(HLA-A*02:01), Ile21-Met119(B2M) and CLGGLLTMV peptide.


Bio-Activity

Storage


Store the lyophilized protein at -20°C to -80°C for long term. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Validation Data







02:01) Tetramer on Tris-Bis PAGE under Non reducing (N) condition. The purity is greater than 95%.



The purity of Human LMP2 (HLA-A