

Recombinant Human KRAS G12D(HLA-A*11:01) Tetramer Protein

Catalog No.: RP02700 Recombinant

Sequence Information

Gene ID

Species Human **Swiss Prot**

AAV53343.1(HLA-A*11:01)&P6 1769(B2M)& VVVGADGVG

Κ

Tags

C-His&Avi

Synonyms

MHC; KRAS; K-Ras 2; KRAS2; C-K-RAS; CFC2; K-RAS2A; K-RAS2B; K-RAS4A; K-RAS4B; KRAS1; KRAS2; NS; NS3; RASK2; GTPase Kras; KI-RAS; RALD

Product Information

Source

Purification

HEK293 cells

> 95% as determined by Tris-Bis PAGE∏> 95% as determined by HPLC

Endotoxin

Less than 1EU per μg by the LAL method.

Formulation

Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

6	400-999-6126
\bowtie	cn.market@abclonal.com.cn
<u></u>	www.abclonal.com.cn

Background

Kirsten rat sarcoma 2 viral oncogene homolog (KRAS) is the most commonly mutated oncogene in human cancer. The developments of many cancers depend on sustained expression and signaling of KRAS, which makes KRAS a high-priority therapeutic target. The virtual screening approach to discover novel KRAS inhibitors and synthetic lethality interactors of KRAS are discussed in detail.

Basic Information

Description

Recombinant Human KRAS G12D(HLA-A*11:01) Tetramer Protein is expressed from Expi293 with His tag and Avi tag at the C-terminal, tetramer is assembled by biotinylated monomer and streptavidin. []lt contains Gly25-Thr305(HLA-A*11:01),lle21-Met119(B2M) and VVVGADGVGK peptide.


Bio-Activity

Storage


Store the lyophilized protein at -20°C to -80°C for long term. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

. Avoid repeated freeze/thaw cycles.

Validation Data







11:01) Tetramer on Tris-Bis PAGE under Non reducing (N) condition. The purity is greater than 95%.