Recombinant Canine CD28 Protein

www.abclonal.com

ABclonal

Catalog No.: RP02714 Recombinant

Sequence Information

Species Gene ID Swiss ProtCanine 403646 Q9GKP3

Tags C-mFc

Synonyms

CD28 antigen (Tp44); CD28 molecule; CD28: MGC138290

Product Information

Source F HEK293 cells >

Purification > 95% as

determined by Tris-Bis PAGE∏> 95% as

Bis PAGE[]> 95% as determined by HPLC

Calculated MW Observed MW

41.6 kDa 50-70 kDa

Endotoxin

Less than 1EU per μg by the LAL method.

Formulation

Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

2	400-999-6126
\times	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

Background

CD28 is the receptor for CD80 (B7-1) and CD86 (B7-2) proteins. When activated by Toll-like receptor ligands, the CD80 expression is upregulated in antigen presenting cells (APCs). The CD86 expression on antigen presenting cells is constitutive. CD28 is the only B7 receptor constitutively expressed on naive T cells.

Basic Information

Description

Recombinant Canine CD28 Protein is expressed from Expi293 with mFc tag at the C-terminal. [It contains Thr18-Pro153.

Bio-Activity


Storage


Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data







The purity of Canine CD28 is greater than 95% as determined by SEC-HPLC.