

Catalog No.: RP03223 **Recombinant**

Species	Gene ID	Swiss Prot
Rat	24499	P22273

C-His

IL-6 receptor subunit alpha; IL-6R subunit
alpha; IL-6R-alpha;
IL-6RA;CD126;Il6ra;Il6r

Source	Purification
HEK293 cells	≥ 90 % as determined by SDS-PAGE

Endotoxin
< 1 EU/μg of the protein by LAL method.

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4. Contact us for customized product form or formulation.

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

 | 400-999-6126

 | cn.market@abclonal.com.cn

 | www.abclonal.com.cn

IL-6R alpha (IL-6RA) is a subunit alpha of IL-6 receptors, also shared by other interleukin receptors. IL-6RA is a type I transmembrane glycoprotein, which forms a complex with the type I transmembrane signal transducer Glycoprotein 130 (CD130) and regulates the biological activity of IL-6 with a low affinity. IL-6RA acts as IL-6 agonist and involves in JAK/STAT, MAPK, and Akt signaling pathway. IL-6RA has 2 isoform including mIL-6R (the longer one) or sIL-6R (the shorter one): The mIL-6R is membrane-bound interleukin-6 receptor, has the potential to drive naive CD4+ T cells to the Th17 lineage, through 'cluster signaling' by dendritic cells. The sIL-6R is soluble interleukin-6 receptor subunit, cleaved from IL-6RA in activated CD4+ T cells by proteolysis, and serves as IL-6 agonist. sIL-6R binds membrane-bound IL-6R and subunit IL6ST to activate regenerative and anti-inflammatory signal via IL-6 trans signaling and promotes pro-inflammatory properties of IL-6. The hydrolysis of IL-6R alpha is also called ectodomain shedding. IL-6RA involves in regulating cell growth and differentiation, and plays an important role in regulation of immune response, acute-phase reactions and hematopoiesis. However, IL-6RA shows tissue expression specificity in liver and some cells of the immune system, thus results a limitation of IL6 signaling. It's worth noting that IL-6RA dysregulation is implicated in the pathogenesis of many diseases, such as multiple myeloma, autoimmune diseases, and prostate cancer.


Recombinant Rat IL-6RA/CD126 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Leu20-Pro364) of Rat IL-6RA/CD126 (Accession #NP_058716.2) fused with His tag at the C-terminus.

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.
After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.
Avoid repeated freeze/thaw cycles.

For your safety and health, please wear a lab coat and disposable gloves for handling.

Validation Data



Recombinant Rat IL-6RA/CD126 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.