

Human PD-1 Monoclonal Antibody

Catalog No.: YR0101

Basic Information

Molecular Weight

150 kDa

Endotoxin

<1EU/mg (<0.001EU/μg) Determined by LAL gel clotting assay

Sterility

0.2 μm filtration

Aggregation

<5% Determined by SECP

Purity

>95% Determined by SDS-PAGE

Background

Spartalizumab Biosimilar uses the same protein sequences as the therapeutic antibody spartalizumab. A humanized monoclonal antibody directed against the negative immunoregulatory human cell surface receptor programmed death-1 (PD-1, PCD-1), with immune checkpoint inhibitory and antineoplastic activities. Upon administration, spartalizumab binds to PD-1 expressed on activated T cells and blocks the interaction with its ligands, programmed cell death 1 ligand 1 (PD-L1, PD-1L1) and PD-1 ligand 2 (PD-L2, PD-1L2). The inhibition of ligand binding prevents PD-1-mediated signaling and results in both T-cell activation and the induction of T-cell-mediated immune responses against tumor cells. PD-1, an immunoglobulin (Ig) superfamily transmembrane protein and inhibitory receptor, negatively regulates T-cell activation.

Reported Applications

ELISA, neutralization, functional assays such as bioanalytical PK and ADA assays, and those assays for studying biological pathways

Immunogen Information

Clone

Spartalizumab Biosimilar

Isotype

human IgG4 kappa

Immunogen

Human PD-1

Recommended Isotype Control(s)

In Vivo Grade Recombinant Human IgG4-S228P Kappa Isotype Control Antibody

Recommended Dilution Buffer

1×PBS pH 7.4

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Product Information

Production

Purified from cell culture supernatant in an animal-free facility

Purification

Protein A or G purification

Storage

Store at 2 - 8°C. 2 - 8°C for up to 4 weeks and -80°C for long term storage (Avoid repeated freezing and thawing)