Human CD25 Monoclonal Antibody

Catalog No.: YR0109



Basic Information

Molecular Weight

150 kDa

Endotoxin

<1EU/mg (<0.001EU/ μ g)Determined by LAL gel clotting assay

Sterility

0.2 µm filtration

Aggregation

<5% Determined by SECP

Purity

>95% Determined by SDS-PAGE

Background

Humanized IgG1 Mab that binds to the human interleukin-2 receptor (anti-Tac or anti-CD25). Daclizumab is a composite of human (90%) and murine (10%) antibody sequences. The human sequences were derived from the constant domains of human IgG1 and the variable framework regions of the Eu myeloma antibody. The murine sequences were derived from the complementarity-determining regions of a murine anti-Tac antibody. Daclizumab binds with high-affinity to the Tac subunit of the high-affinity IL-2 receptor complex and inhibits IL-2 binding. The IL-2 receptor (Tac) subunit is expressed on activated but not resting lymphocytes.

Reported Applications

ELISA,neutralization,functional assays such as bioanalytical P K and ADA assays,and those assays for studying biological pathways

Immunogen Information

Clone

Isotype

Daclizumab Biosimilar

Human IgG1 kappa

Immunogen

Human IL2RA[CD25]

RecommendedIsotype Control(s)

In Vivo Grade Recombinant Human IgG1 Kappa Isotype Control Antibody

Recommended Dilution Buffer

1×PBS pH 6.0

Contact

<u>a</u>		400-999-6126
\bowtie	Τ	cn.market@abclonal.com.cn
•	ī	www.abclonal.com.cn

Product Information

Production

Purification

Purified from cell culture supernatant in an animal-free facility

Protein A or G purification

Storage

Store at $2 - 8^{\circ}$ C. $2 - 8^{\circ}$ C for up to 4 weeks and -80° C for long term storage (Avoid repeated freezing and thawing)