# Human VEGFR2 Monoclonal Antibody

Catalog No.: YR0132



### **Basic Information**

Molecular Weight 150 kDa

Endotoxin <1EU/mg (<0.001EU/µg)Determined by LAL gel clotting assay

**Sterility** 0.2 µm filtration

Aggregation <5% Determined by SECP

**Purity** >95% Determined by SDS-PAGE

### Background

Ramucirumab, a fully human IgG1 monoclonal antibody and a direct VEGFR2 antagonist, binds with high affinity to the extracellular domain of VEGFR2 and block the binding of natural VEGFR ligands (VEGF-A, VEGF-C and VEGF-D). These ligands are secreted by solid tumors to promote angiogenesis (formation of new blood vessels from pre-existing ones) and enhance tumor blood supply. Binding of ramucirumab to VEGFR2 leads to inhibition of VEGF-mediated tumor angiogenesis.Kinase insert domain receptor (KDR, a type IV receptor tyrosine kinase, CD309, cluster of differentiation 309, Flk1, Fetal Liver Kinase 1) is the human gene encoding vascular endothelial growth factor receptor 2 (VEGFR-2), which is a VEGF receptor. The Q472H germline KDR genetic variant affects VEGFR-2 phosphorylation and has been found to associate with microvessel density in NSCLC.

### **Reported Applications**

ELISA, neutralization, functional assays such as bioanalytical P K and ADA assays, and those assays for studying biological pathways

### **Immunogen Information**

**Clone** Ramucirumab Biosimilar **Isotype** Human IgG1 kappa

## 

Human VEGFR2

RecommendedIsotype Control(s)

In Vivo Grade Recombinant Human IgG1 Kappa Isotype Control Antibody

**Recommended Dilution Buffer** 

1×PBS pH 6.0

### Contact

6	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
€	www.abclonal.com.cn

### **Product Information**

**Production** Purified from cell culture supernatant in an animal-free facility **Purification** Protein A or G purification

#### Storage

Store at 2 - 8°C. 2 - 8°C for up to 4 weeks and -80°C for long term storage (Avoid repeated freezing and thawing)