# ESE1/ELF3 Rabbit mAb

Catalog No.: A5236 Recombinant 2 Publications



## **Basic Information**

### **Observed MW**

42kDa

### **Calculated MW**

41kDa

### Category

Primary antibody

### **Applications**

WB,ELISA,ChIP,CUT&Tag

### **Cross-Reactivity**

Human, Mouse, Rat

#### CloneNo number

ARC1191

# **Background**

Enables DNA-binding transcription activator activity, RNA polymerase II-specific and sequence-specific double-stranded DNA binding activity. Involved in inflammatory response; negative regulation of transcription, DNA-templated; and positive regulation of transcription by RNA polymerase II. Located in Golgi apparatus; cytosol; and nucleoplasm.

# **Recommended Dilutions**

**WB** 1:1000 - 1:6000

**ELISA** Recommended starting

concentration is 1 µg/mL.
Please optimize the
concentration based on
your specific assay

requirements.

**ChIP** 5μg antibody for

 $10\mu g\text{-}15\mu g$  of Chromatin

**CUT&Tag** 10<sup>5</sup> cells /1 μg

# Immunogen Information

**Gene ID**1999

Swiss Prot

1999

P78545

### **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

# **Synonyms**

ERT; ESX; EPR-1; ESE-1; ESE1/ELF3

### **Contact**

8	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
•	www.abclonal.com.cn


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol and 0.05% BSA, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.




Western blot analysis of various lysates using ESE1/ELF3 Rabbit mAb (A5236) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit lgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins:  $25\mu g$  per lane.


Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 10s.



Chromatin immunoprecipitation analysis of extracts of Hep G2 cells, using ESE1/ELF3 antibody (A5236) and rabbit IgG.The amount of immunoprecipitated DNA was checked by quantitative PCR. Histogram was constructed by the ratios of the immunoprecipitated DNA to the input.



CUT&Tag was performed using the CUT&Tag Assay Kit (pAG-Tn5) for Illumina(RK20265) from  $10^5$  Hep G2 with  $1\mu g$  ESE1 (A5236) , along with a Goat Anti-Rabbit IgG(H+L). The CUT&Tag results indicate the enrichment pattern of ESE1 in representative gene loci (MARK4), as shown in figure.