ABclonal® www.abclonal.com

Recombinant Mouse TNF-alpha Protein

Catalog No.: RP01071 Recombinant 2 Publications

Sequence Information

Species Gene ID Swiss Prot Mouse 21926 P06804

Tags

C-His

Synonyms

DIF; Tnfa; TNF-a; TNFSF2; Tnlg1f; Tnfsf1a; TNFalpha; TNF-alpha; TNF

Product Information

Source Purification HEK293 cells > 87% by SDS-PAGE.

Endotoxin

< 0.1 EU/ μ g of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

6	400-999-6126
\bowtie	cn.market@abclonal.com.cn
<u></u>	www.abclonal.com.cn

Background

Basic Information

Description

Recombinant Mouse TNF-alpha Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Leu80-Leu235) of mouse TNF-alpha (Accession $\#NP_038721.1$) fused with a $6\times His$ tag at the C-terminus.

Bio-Activity

1.Recombinant Mouse TNF- α protein was measured by NF-κB reporter assay in HEK293 cells. The ED₅₀ for this effect is 40-200 pg/mL.|2.Measured by its binding ability in a functional ELISA. Immobilized Mouse TNF- α at 2 μg/mL (100 μL/well) can bind Mouse TNFRSF1B with a linear range of 0.02-0.77 ng/mL.|3.Measured in a cytotoxicity assay using L-929 mouse fibroblast cells in the presence of the metabolic inhibitor actinomycin D. The ED₅₀ for this effect is 0.025-0.1 pg/mL.


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Validation Data




Recombinant Mouse TNF-alpha Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 18 kDa.




The purity of Mouse TNF-alpha Protein (Cat.RP01071) was greater than 95% as determined by SEC-HPLC.




Recombinant Mouse TNF- α protein was measured by NF- κ B reporter assay in HEK293 cells .The ED $_{50}$ for this effect is 40-200 pg/mL.



Immobilized recombinant Mouse TNF α at 2 μ g/mL (100 μ L/well) can bind Human TNFRSF1A with a linear range of 4-53 ng/mL.



Immobilized Recombinant Mouse TNF- α at 2 μ g/mL (100 μ L/well) can bind Mouse TNFRSF1B with a linear range of 0.02-0.77 ng/mL.



Recombinant Mouse TNF-alpha induces cytotoxicity in the L-929 mouse fibroblast cell line in the presence of the metabolic inhibitor actinomycin D. The $ED_{\rm 50}$ for this effect is typically 3.55-14.2 pg/mL, corresponding to a specific activity of $7.04\times10^7{\sim}2.82\times10^8$ units/mg.