

# In Vivo Grade Recombinant Chimeric Human IgG1-S267E L328F (SELF) Isotype Control Antibody

Catalog No.: YR0352

### **Basic Information**

#### **Molecular Weight**

150 kDa

#### **Endotoxin**

<1EU/mg (<0.001EU/ $\mu$ g)Determined by LAL gel clotting assay

### Sterility

0.2 µm filtration

### **Aggregation**

<5% Determined by SECP

#### **Purity**

>95% Determined by SDS-PAGE

### **Background**

Isotype control antibodies (negative control antibodies or reference antibodies) are frequently used in various antibody-related in vivo and in vitro experiments such as ELISA, Western blot, immunofluorescence, immunohistochemistry, immunoprecipitation, and flow cytometry. Isotype control antibodies are used as negative controls of primary antibodies to check presence of non-specific binding to Fc receptors on the cell surface, other cellular proteins, carbohydrates, and lipids. Thus, the isotype control antibody normally matches the host species and isotype, including light chains (such as human IgG1 kappa antibody), concentration, and conjugation format of the experimental primary antibody.

## **Reported Applications**

an isotype-

matched negative control use d in ELISA,Western Blot (WB), Flow Cytometry (Flow),Immuno precipitation (IP),Immunohistoc hemistry (Paraffin) (IHC (P)),I mmunohistochemistry (Frozen) (IHC (F)),and in vivo animal model research

### Immunogen Information

Clone

Isotype

4F17m

Human IgG1 kappa

**Immunogen** 

RecommendedIsotype Control(s)

**Recommended Dilution Buffer** 

1×PBS

### **Contact**

<u>a</u>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

### **Product Information**

Production

**Purification** 

Purified from cell culture supernatant in an animal-free facility

Protein A or G purification

#### Storage

Store at  $2 - 8^{\circ}$ C.  $2 - 8^{\circ}$ C for up to 4 weeks and  $-80^{\circ}$ C for long term storage (Avoid repeated freezing and thawing)